ш	A	В	С	D	E	F	G
1	I. Bocal		Original bocal; SavPere5 No, Cronin BF 3 bocal				
2	dia reed end		inside diameter of reed end of bocal				
3	bocal string length (0, 1)		length of bocal inserted into receiver				
<u>4</u> 5	metal bocal length top (0, 1) metal bocal length bot (0, 1)		meas. along top of bocal meas. along bottom of bocal				
6	dia wj end		inside diameter of bocal	1			
7							
8	bocal logic	2	if bocal logic=0=> bocal is choke; if bocal logic = 1 =>choke in wing joint calc; if bocal	l logic = 2 =>	no bo	cal	
9				Ī			
10							
11							
12							
	II. Wing Joint Lengths		bocal receiver: SavPere5 yes; just a slight slelf where metal bocal receiver stops				
	choke bore dia.	9.2	logic 1; bore diameter of choke; logic 0; diameter bocal bottom or beginning of bore at		eiver;		
15	receiver length (1, 0) (formally choke length)	34.8	logic 1; length of choke from top of wing joint; logic 0; length of receiver (same as string	length)			
16 17	wing joint length tenon length	518 43.4	total wing joint length, including tenon and socket tenon length, SavPere5 verified short, but a Savary jeune wing				
10		43.4	teriori lengtri, Savreres verified silort, but a Savary Jedne wing				
19	wj f2	209	dist from top of wing to where tone hole enters bore [not at the center of the tone hole]				
20	wj e	301	SavPere5 verified				
21	wj d	342	SavPere5 verified				
22							
23	Bore dia. Bottom of wing joint	15.6	Need to Average, usally oval; SavPere5 no	-			
24 25	Bore dia. top of boot joint small side Bore dia. top of boot joint large side	15.6 23.7		1			
26	bore dia. top or boot joint large side	23./					
27	III. Boot Lengths						
	bj logic	1	logic=> if bj logic = 0 => plug removed; if bj logic = 1 => plug cannot be removed				
29	bj c	93	dist from top of boot to where topmost tone hole enter bore [not at center of tone hole]				
	bj b	150	-				
31	bj a	191					
32 33	bjstotal [Needed for both boot logics]	434	total length of boot, include socket, along the small bore side	-			
34	bjltotal [Needed for both boot logics]	434	total length of boot, include socket, along the small bore side				
35	plug small [Need for logic 0 only]		plug thickness, large bore side				
36	plug large [Need for logic 0 only]	0	plug thickness, small bore side				
37							
38	boots [Needed for both boot logics]	393	hook length along s bore => bjs-septum length = boot - septum <= calc the septum				
39 40	bootl [Needed for both boot logics]	393	hook length along I bore => bjl-septum length = boot - septum <= calc the septum				
41	boots bottom [Needed for both boot logics]	21	use hook, dist of bore [dist on stick plus 7mm, diff between hook and bot of stick] 14 +	7 = 21			
42	bootl bottom [Needed for both boot logics]	21	use hook, dist of bore [same as boots bot except tenon depth will be different]				
43							
44 45	extreme bore [Needed for logic 1 only]	41.1	Outside dia of plug [measured] = small bore dia + large bore dia + the septum width				
46	septum length exp [Need for logic 0 only]	0	dist. from very bottom of boot to septum [point between the large and small bore]				
47	septum length calc - do not imput value	41	dist. From very bottom of boot to spetum [bil - bootl]	do not imput	value		
48	septum length - do not imput value	41	if bj logic = 0 => septum = septum exp; if bj logic = 1 => septum = septum calc	do not imput			
49							
50	sbore dia sep* [Needed for both boot logics]	18.6	septum small bore dia [assume = Ibore dia sep]				
51	Ibore dia sep* [Needed for both boot logics]		septum large bore dia [assume = sbore dia sep] [mesure if cork can be removed; for Log	gic 0]			
52 53	sep width exp [Need for logic 0 only] sep width calc - do not imput value	3.1	septum width; direct measurement if remove plug septum width; calc. => extreme bore - sbore - lbore	do not imput	value		
54	sep width - do not imput value	3.1	if by logic = $0 \Rightarrow$ sep width = sep width exp; if by logic = $1 \Rightarrow$ sep width = sep width ca				
55							
56	bj g		dist from top of boot (socket) to where G hole enters bore [not at cent of tone hole]				
57 58	bj f1	145	dist from top of boot (socket) to where F1 hole enters bore [not at cent of tone hole]				
58							
60							
61							
62							
	IV. Tone Hole Diameters	F 4					
64 65	1 <u>Z</u>	5.1 6.5		 			
66	d d	5.5					
67							
68	c	7					
69	b -	6.5		 			
70 71	d O	6 8.8					
72	9 f1	8.8					
73							
74	e1	14.2	e1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]				
75 76	d1	9.2	d1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater];		لببا		
76 77	c1	13.7	SavPere5 13.2 x 14.1c1 tone hole dia, on long joint [need to average NS and EW dias, N e1, d1 long joint tone holes round, not oblong	5 usually grea	rerj		
78			er, ar long joint tone noies round, not oblong				
79							
80							
81	W = W 5 W						
82	V. Tone Hole Depths	44	SayDare5 E tone holes drilled at VEDV cytrome angle				
83 84	f2 e	33.5	SavPere5 F tone holes drilled at VERY extreme angle				
85	d	33.5	SavPere5 D tone holes NOT drilled at extreme angle; verified				
86							
87	С	20.4	-				
88	b	21.4					
89 90	a	21.2	more plans but tone halo wall [north wall, toward road tone halo verially of an ali-1				
90	f1	13 21.5	meas along bot tone hole wall [north wall, toward reed,tone hole usually at angle] meas along east side tone hole wall [north wall, toward reed,t hole usually at angle]				
92	<u></u>						
93	e1	8.3	e1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				

$\overline{}$	А	В	ſ	D	F	- 1	G
94		9.5	d1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]	D		F	G
	c1	8.6	c1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				
96							
97							
98							
99				<u> </u>			
100							
	VI. Long Joint	F06	SavPere5 There is a table along long joint				
	lg_length	586	SavPere5 vrfd; total length of long joint				
	lg_tenon_bot lj_bot_bore	45.1 23.6	SavPere5 vrfd; length bottom tenon on long joint [tenon going into boot joint] long joint bottom tenon bore diameter [tenon going into boot joint]				
	lj_bot_bore	32.8	long joint bottom tenon bore diameter [tenon going into boot joint]				
	lg tenon top	40.3	length top tenon on long joint [tenon going into bell]				
	e1 distance	56	dist long joint tenon to e1 [from bot of tenon to where tone hole enters bore]				
	d1 distance	255	dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]				
	c1 distance	471	dist long joint tenon to c1 [from bot of tenon to where tone hole enters bore]				
110							
111							
112							
113							
114							
	VII. Bore diameters at Tone Holes	44.0					
	f2	11.3		 			
117 118	e d	12.7 13.2					
118	u	13.2					
120	c	15.4					
121	b	15.8					
122	a	16.2					
123	g	20.1					
	f1	21.8					
125				ļ			
	e1	24.1	e1 tone hole bore diameter on long joint				
127		26.7	d1 tone hole bore diameter on long joint				
128 129	CT	30.2	c1 tone hole bore diameter on long joint	 			
130				 			
130							
132							
133							
	VIII. Bell		SavPere5 No Bell tone hole				
	bell logic	0	If bell_logic=0=>normal conical;if bell_logic=1=>inverted concial; if bell_logic=2=>bell	expans			
136	bell_length (0, 1, 2)	331	total length of bell [lines 141 + 144 = line 136]				
137	bell_bot_bore (0, 1, 2)	31.6	dia bore at the bottom of bell [end with socket]				
	bell_top_bore 0, (1, 0, 2)	32.3	SavPere5 31.9 x 32.7; dia bore at the top of bell [where low Bb exits]				
	bell_center_bore (only for logic 2)		dia bore at max center of expansion				
	bell_wall (only for logic 2)		bell wall thickness, Just for David]			
	bell_bot_bore_expansion (only for logic 2)		dist of bottom to maxium of expansion [including bell socket length,if bell logic=0 =>100	ן ע			
142 143	Outside diameter of wood at expansion bell_tenon (0, 1, 0, 2)	41	Just for David bell socket length				
	bell_expansion_length (only for logic 2)	41	distance of maxium expansion to top of bell [where Bb exits]				
	Bellfig	38.2					
146	~						
147							
	IX. PITCH						
149		430	input the historical pitch of the bassoon, must input value, best guess	\vdash			
	freq_init	380	Initial frequency range variable				
	Delta frequency	2	frequency increment parameter				
	Number of frequencies	1.05	number of frequencies to scan for min chi sq				
154	Frequency adjust X. Title	1.05	frequency adjustment parameter				
155			Bassoon Calculation: Savarypère5-O-Koster-Wg1-WOB-DNM				
156			SavPere5 dated; 1817				
157			Notes on long joint bore: SavPere5 normal				
158			Notes on boot joint bore: small side OOR				
	XI. Bore Diameter Locations		Notes on wing joint bore: SavPere5 normal				
160		22	Number of diameters				
161		9.2	Initial bore diameter				_
162		405	dist1; measured from the bottom of the wing joint- 10mm	 			1
163 164		330	dist2; measured from the bottom of the wing joint- 11mm dist3; measured from the bottom of the wing joint- 12mm				1
165		285 180	dist4; measured from the bottom of the wing joint- 12mm				1
166		97	dist5; measured from the bottom of the wing joint- 13mm				1
167		45	dist6; measured from the bottom of the wing joint- 15mm	Bottom wing	15.6		1
168		172	dist7; measured from the top of the bootjoint - small bore side- 16mm	top boot sma			2
169		242	dist8; measured from the top of the bootjoint - small bore side- 17mm	top boot larg			2
170		320	dist9; measured from the top of the bootjoint - small bore side- 18mm;			-	2
171		0	dist10; measured from the top of the bootjoint - small bore side- 19mm	sbore dia ser	18.6		2
172		345	dist11; measured from the top of the bootjoint - large bore side- 20mm	Ibore dia sep	19.4		3
173		210	SavPere5 vrfd gap; dist12; measured from the top of the bootjoint - large bore side- 21r	HOOK Length	393		3
174		140	dist13; measured from the top of the bootjoint - large bore side- 22mm				3
175 176		78 517	dist14; measured from the top of the bootjoint - large bore side- 23mm SavPere5 500 x 535; dist15; measured from the top of the long joint - 24mm	lj_bot_bore	23.6		4
177		466	dist16; measured from the top of the long joint- 25mm	יז_טטנ_טטופ	23.0		4
178		425	dist17; measured from the top of the long joint- 25mm				4
179		315	dist18; measured from the top of the long joint- 27mm				4
180		240	dist19; measured from the top of the long joint- 28mm;				4
181		180	dist20; measured from the top of the long joint- 29mm;				4
182		120	dist21; measured from the top of the long joint- 30mm				4
183		70	dist22; measured from the top of the long joint- 31mm				4
184		35	dist23; measured from the top of the long joint- 32mm;	lj top bore	32.8		4
	-						