_				-			
\vdash	A	В	С	D	E	F	G
1	I. Bocal		Original bocal; Savarypère6 no				
2	dia reed end		inside diameter of reed end of bocal				
	bocal string length (0, 1)		length of bocal inserted into receiver				
4	metal bocal length top (0, 1)		meas. along top of bocal				
	metal bocal length bot (0, 1)		meas. along bottom of bocal				
6 7	dia wj end		inside diameter of bocal				
	haani lagia	2	if bocal logic = 0 => bocal is choke; if bocal logic = 1 =>choke in wing joint calc; if b	east legis - 2 - > no	hasal		
8	bocal logic	2	ir bocal logic = 0 => bocal is choke; ir bocal logic = 1 =>choke in wing joint calc; ir c	$\log cal \log c = 2 = > no$	Docal		
9 10							
11							
12							
	II. Wing Joint Lengths		bocal receiver; Savarypère6 there is not a choke no reciever				
	choke bore dia.	8.6	logic 1; bore diameter of choke; logic 0; either diameter bocal bottom or beginning o	f hore at hottom or r	eceiver		
	receiver length (1, 0) (formally choke length)	34	logic 1; length of choke from top of wing joint; logic 0; length of receiver (same as si				
	wing joint length	510	total wing joint length, including tenon and socket	ang lengen)			
	tenon length	42.4	tenon length				
18	centre light		tenon lenger				
	wj f2	216	dist top of wing to where tone hole enters bore [not at the center of the tone hole]				
	wj e	288					
	wj d	336					
22		550					
23	Bore dia. Bottom of wing joint	15.4	Need to Average, usally oval; Savarypère6 yes				
24	Bore dia. top of boot joint small side	15.7	Need to Average, usally oval; Savarypère6 yes				
25	Bore dia. top of boot joint large side	23.3					
26	Bore dial top of boot joint large blac	2010					
	III. Boot Lengths		Savarypère6 Two whole design No				
	bj logic	1	$\log(c) > $ if bj $\log(c) = 0 = > $ plug removed; if bj $\log(c) = 1 = > $ plug cannot be removed				
	bi c	93	dist from top of boot to where topmost tone hole enter bore [not at center of tone ho	lel			
	bj b	153					
	bj a	195			- 1		
32	-						
	bistotal [Needed for both boot logics]	434	total length of boot, include socket, along the small bore side				
	bjltotal [Needed for both boot logics]	434	total length of boot, include socket, along large bore side				
35	plug small [Need for logic 0 only]	0	plug thickness, large bore side				
	plug large [Need for logic 0 only]	0	plug thickness, small bore side				
37							
	boots [Needed for both boot logics]	382	hook length along s bore => bjs-septum length = boot - septum <= calc the septum				
	bootl [Needed for both boot logics]	382	hook length along I bore => bjl-septum length = boot - septum <= calc the septum				
40							
41	boots bottom [Needed for both boot logics]	20	use hook, dist of bore [dist on stick plus 7mm, diff between hook and bot of stick]; 1	3+7=20			
42	bootl bottom [Needed for both boot logics]	20	use hook, dist of bore [same as boots bot except tenon depth will be different]				
43							
44	extreme bore [Needed for logic 1 only]	49.1	Savarypère6 verified large Outside dia of plug [measured] = small bore dia + large l	ore dia + the septur	n width		
45							
46	septum length exp [Need for logic 0 only]		dist. from very bottom of boot to septum [point between the large and small bore]				
	septum length calc - do not imput value	52	dist. From very bottom of boot to spetum [bjl - bootl]	do not imput value			
48	septum length - do not imput value	52	if bj logic = 0 => septum = septum exp; if bj logic = 1 => septum = septum calc	do not imput value			
49							
50	sbore dia sep* [Needed for both boot logics]	17.9	septum small bore dia [assume = lbore dia sep]				
51	<pre>lbore dia sep* [Needed for both boot logics]</pre>	18.5	septum large bore dia [assume = sbore dia sep] [mesure if cork can be removed; for	Logic 0]			
52	sep width exp [Need for logic 0 only]		septum width; direct measurement if remove plug				
	sep width calc - do not imput value	12.7	septum width; calc. => extreme bore - sbore - lbore	do not imput value			
	sep width - do not imput value	12.7	if bj logic = 0 => sep width = sep width exp; if bj logic = 1 => sep width = sep width	do not imput value			
55							
	bj g	333	dist from top of boot (socket) to where G hole enters bore [not at cent of tone hole]				
	bj f1	146	dist from top of boot (socket) to where F1 hole enters bore [not at cent of tone hole]				
58							
59							
60							
61							
62	IV Tana Hala Diamatana						
	IV. Tone Hole Diameters	E 0					
64 65	0	<u>5.8</u> 6.5					
66	d	5.2					
67	<u> </u>	J.2					
68	ſ	7				_	
69	h	6.9					
70	a	5.5					
70	<u> </u>	9.6					
72		8.4					
73		0.1					
74	e1	13.4	e1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]				
	d1	9.2	d1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]				
76		14.1	c1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]		- 1		
77							
78							
79							
80							
81							
	V. Tone Hole Depths						
83		39					
84	e	33.5	Savarypère6 Finger holes on wing at extreme angles				
85	d	37					
86							
87	c	26.5					
88	b	26.2					
89	a	26.5					
90	g	16.2	meas along bot tone hole wall [north wall, toward reed,tone hole usually at angle]				
91	f1	24.5	meas along east side tone hole wall [north wall, toward reed,t hole usually at angle]				
92							
93	e1	8.9	e1 tone hole depth;meas east/west with deapth gauge [at center, or shortest dist]				

	A	В	С	D	Е	F	G
94	d1	9.2	d1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				
95	C1	8.3	c1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				
96 97							
97							
99							
100							
101	VI. Long Joint		Savarypère6, There is a table along long joint				
	lg_length	580	Savarypère6 verified short total length of long joint;				
	lg_tenon_bot	45.6	length bottom tenon on long joint [tenon going into boot joint]				
	lj_bot_bore	24.3	long joint bottom tenon bore diameter [tenon going into boot joint]	all]			
	lj_top_bore lg_tenon_top	34.2 34.2	Savarypère6 OOR 33.9 x 34.5; long joint top tenon bore diameter [tenon going into l length top tenon on long joint [tenon going into bell]	beilj			
	e1 distance	53	dist long joint tenon to e1 [from bot of tenon to where tone hole enters bore]				
	d1 distance	253	dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]				
	c1 distance	468	Savarypere6 verified short; dist long joint tenon to c1 [from bot of tenon to where to	ne hole enters bore]			
110							
111							
112							
113							
114 115	VII. Bore diameters at Tone Holes						
115		11.3					
117	e	11.7					
118	d	12.6					
119							
120	c	15.4					
121	b	16.1					
122 123	a	16.2 19.2					
123	g f1	21.8					
124	14	21.0					
126	e1	24.8	e1 tone hole bore diameter on long joint				
127	d1	27.6	d1 tone hole bore diameter on long joint				
128	c1	31.6	c1 tone hole bore diameter on long joint				
129							
130							
131 132							
132							
	VIII. Bell		Savarypère6 There is not a tone hole in the bell				
135	bell logic	0	If bell_logic = $0 \Rightarrow$ normal conical bore; if bell_logic = $1 \Rightarrow$ inverted concial bore; if	bell_logic = 2 => be	ell expa	nsion	
	bell_length (0, 1, 2)	344	total length of bell				
	bell_bot_bore (0, 1, 2)	33.6	dia bore at the bottom of bell [end with socket];			\mid	
138	bell_top_bore 0, (1, 0, 2)	34.8	dia bore at the top of bell [where low Bb exits]				
139	bell_center_bore (only for logic 2)		dia bore at max center of expansion				
	bell_wall (only for logic 2) bell_bot_bore_expansion (only for logic 2)		bell wall thickness, Just for David dist of bottom to maxium of expansion [including bell socket length,if bell logic=0 =>	1001			
	Outside diameter of wood at expansion		Just for David	100]			
	bell_tenon (0, 1, 0, 2)	34.8	bell socket length				
	bell_expansion_length (only for logic 2)		distance of maxium expansion to top of bell [where Bb exits]				
	belflg	42	Usually about 10mm more than line 138;				
146							
147							
	IX. PITCH pitch	430	input the historical pitch of the bassoon, must input value, best guess				
	freq_init	380	Initial frequency range variable				
	Delta frequency	3	frequency increment parameter				
	Number of frequencies	18	number of frequencies to scan for min chi sq				
153	Frequency adjust	1.05	frequency adjustment parameter				
	X. Title						
	title		Bassoon Calculation: Savarypère6-O-Sigal-Wg1-WOB-DNM				
156 157			Notes on long joint bore: Savarypère6 OOR more than normal yes/no				
158			Notes on boot joint bore: Savarypère6 small side very OOR??				
	XI. Bore Diameter Locations		Notes on wing joint bore: Savarypère6 top near bocal receiver worn??				
160		22	Number of diameters				
	Bell Bore	8.6	Initial bore diameter [do not include in line 160 counting]				
	30.6mm dia. at socket	398	dist1; measured from the bottom of the wing joint- 10mm				1
	30mm rod 110mm from socket	333	dist2; measured from the bottom of the wing joint- 11mm				1
	29mm rod 150mm from socket 28mm rod 190mm from socket	203	dist3; measured from the bottom of the wing joint- 12mm dist4; measured from the bottom of the wing joint- 13mm				1
	27mm rod 220mm from socket	42	dist5; measured from the bottom of the wing joint- 13mm				1
	26mm rod 265mm from socket	14	dist6; measured from the bottom of the wing joint- 15mm	Bottom wing jt	15.4		1
	25mm rod 295mm from socket	132	dist7; measured from the top of the bootjoint - small bore side- 16mm	top boot small	15.7		2
169	31.5mm dia. at bell end	274	dist8; measured from the top of the bootjoint - small bore side- 17mm	top boot large	23.3		2
170		0	dist9; measured from the top of the bootjoint - small bore side- 18mm			\mid	2
171		350	dist10; measured from the top of the bootjoint - large bore side- 19mm	sbore dia sep	17.9		3
172 173		259 180	dist11; measured from the top of the bootjoint - large bore side- 20mm	Ibore dia sep	18.5 382		3
173		131	dist12; measured from the top of the bootjoint - large bore side- 21mm dist13; measured from the top of the bootjoint - large bore side- 22mm	Hook Length	302		ω Ω
175		60	dist13; measured from the top of the bootjoint - large bore side- 22mm dist14; measured from the top of the bootjoint - large bore side- 23mm				3
176		541	dist15; measured from the top of the long joint- 24mm	lj_bot_bore	24.3		4
177		510	dist16; measured from the top of the long joint- 25mm				4
178		410	dist17; measured from the top of the long joint- 26mm				4
179		382	dist18; measured from the top of the long joint- 27mm				4
180		272	dist19; measured from the top of the long joint- 28mm				4
181 182		210	dist20; measured from the top of the long joint- 29mm				4
182 183		172 135	dist21; measured from the top of the long joint- 30mm dist22; measured from the top of the long joint- 31mm				4
183		82	dist22; measured from the top of the long joint- 31mm dist23; measured from the top of the long joint- 32mm	lj top bore	34.2		4
		52	raises, measured norm the top of the long junt- 52mm	IL COP DOIC			