_							
ш	A	В	C	D	Е	F	G
	I. Bocal		Original bocal. Anon13 No				
2	dia reed end		inside diameter of reed end of bocal				
3	bocal string length (0, 1)		length of bocal inserted into receiver				
4	metal bocal length top (0, 1)		meas. along top of bocal				
5	metal bocal length bot (0, 1)		meas. along bottom of bocal				
	dia wj end		inside diameter of bocal				
7	-						
8	bocal logic	2	if bocal logic = 0 => bocal is choke; if bocal logic = 1 =>choke in wing joint cal	c: if bocal logic = 2	=> no	bocal	
9		_	, , , , , , , , , , , , , , , , , , , ,	-,			
10							
11							
12	** **** * * * * * * * * * * * * * * * *					_	
	II. Wing Joint Lengths		bocal receiver: Anon13; yes; see photo a brass bocal receiver				
	choke bore dia.	8.5	logic 1; bore diameter of choke; logic 0; either diameter bocal bottom or beginn		m or re	ceive	r
	receiver length (1, 0) (formally choke length)	30	logic 1; length of choke from top of wing joint; logic 0; length of receiver (same	as string length)			
16	wing joint length	483	total wing joint length, including tenon and socket				
	tenon length	38	tenon length				
18							
19	wj f2	236	dist from top of wing to where tone hole enters bore [not at the center of the to	ne hole]			
20	wj e	294					
21	wj d	336					
22							
23	Bore dia. Bottom of wing joint	14.2	Need to Average, usally oval; Anon13 14.0 x 14.4				
24	Bore dia. top of boot joint small side	16.1	vrfd				
	Bore dia. top of boot joint large side	25.2					
26	a.a. cop a. book joint large side	20.2				-+	
	III. Boot Lengths		Anon13, no corks in boot, u-tube missing			=+	
	bj logic	1	logic=> if bj logic = 0 => plug removed; if bj logic = 1 => plug cannot be remo	ved		-+	
						-+	
	bj c	103	dist from top of boot to where topmost tone hole enter bore [not at center of to	ne noie]		\dashv	
	bj b	166					
	bj a	211					
32							
	bjstotal [Needed for both boot logics]	404	vrfd short; total length of boot, include socket, along the small bore side				
34	bjltotal [Needed for both boot logics]	404	total length of boot, include socket, along large bore side				
35	plug small [Need for logic 0 only]	0	plug thickness, large bore side				
36	plug large [Need for logic 0 only]	0	plug thickness, small bore side				
37			Anon13 Hook length and total boot length the same, needed U tube, missing				
38	boots [Needed for both boot logics]	404	Anon13, hook length is same as boot total length, U-tube; hook length along s b	ore			
	bootl [Needed for both boot logics]	404	hook length along I bore => bjl-septum length = boot - septum <= calc the sep				
40			,				
	boots bottom [Needed for both boot logics]	0	use hook, dist of bore [dist on stick plus 7mm, diff between hook and bot of stic	·k1 + 7 =			
42	bootl bottom [Needed for both boot logics]	0	use hook, dist of bore [same as boots bot except tenon depth will be different]	.K] 17 -		_	
43	booti bottoiii [iveeded for botil boot logics]	U	disc floor, dist of bore [same as boots but except terior depth will be different]				
	extreme bore [Needed for logic 1 only]	45.4	Apon12 \/rfd large Outside dia of plug [measured] = small bore dia + large bor	o dia + the centum	width		
	extreme bore [Needed for logic 1 only]	45.4	Anon13 Vrfd large,Outside dia of plug [measured] = small bore dia + large bore	e dia + trie septurii	widtii		
45		_		7		_	
	septum length exp [Need for logic 0 only]	0	dist. from very bottom of boot to septum [point between the large and small bo				
47	septum length calc - do not imput value	0		do not imput value			
48	septum length - do not imput value	0	if bj logic = 0 => septum = septum exp; if bj logic = 1 => septum = septum c	do not imput value			
49							
50	sbore dia sep* [Needed for both boot logics]	18.5	septum small bore dia [assume = Ibore dia sep]				
51	lbore dia sep* [Needed for both boot logics]	19	septum large bore dia [assume = sbore dia sep] [mesure if cork can be remove	d; for Logic 0]			
52	sep width exp [Need for logic 0 only]	7.8	septum width; direct measurement if remove plug				
53	sep width calc - do not imput value	7.9	septum width; calc. => extreme bore - sbore - lbore	do not imput value			
54	sep width - do not imput value	7.9	if bj logic = 0 => sep width = sep width exp; if bj logic = 1 => sep width = sep				
55							
	bj q	339	dist from top of boot (socket) to where G hole enters bore [not at cent of tone h	nole1			
	bj f1	134	dist from top of boot (socket) to where F1 hole enters bore [not at cent of tone				
58	۵, ۱۰	137	and manning of poor (socker) to where it more enters bore frior at cent of tone				
59							
60						-+	
61						-+	
						-+	
62	TV Tone Hele Dinmet						
	IV. Tone Hole Diameters	4.7					
64	_	4./					
65	e	6.1				-	
66	u	5.4				-+	
67		-					
68	C	7					
69	מ	7.9					
70	a	6.2					
71	g	11.1					
72	f1	11					
73							
74	e1	14.4	e1 tone hole dia, on long joint [need to average NS and EW dias, NS usually gre				
75	d1	15.2	Anon13 vrfd large has touch; d1 tone hole dia, on long joint [need to average N	S and EW dias, NS			er]
76		19.9	Anon13 BSlightly oblong; c1 tone hole dia, on long joint [need to average NS ar				
77		-		,			
78							
79							
80							
81							
	V. Tono Holo Donths					-+	
	V. Tone Hole Depths	2/ 5				-+	
83	12	34.5					
84	e	36.3					
85	a	37					
86							
87	С	25.2					
88	b	28.6					
89	a	30	Anon13 A tone hole drilled at normal angel				
90	g	22	Anon13, vrfd long; meas along bot tone hole wall [north wall, toward reed, tone		e]		
91	f1	22.5	meas along east side tone hole wall [north wall, toward reed,t hole usually at ar	ngle]			
92							
93	e1	8.5	Anon13 Could not remove key, but meas. accurately; e1 tone hole depth; meas	east/west with dea	oth dau	qe	
			the state of the s				

_							
	A	<u>B</u>	C	D	Ε	F	G
94 95	c1	9.2 9.4	Anon13 tone insert; d1 tone hole depth; meas east/west with deapth gauge [at c1 tone hole depth; meas east/west with deapth gauge [at center, or shortest or		aistj		
96	CI	7.4	let tone note deput, meas east, west with deapth gauge [at center, or shortest t	iistj			
97							
98							
99							$\overline{}$
100							
	VI. Long Joint		Anon13 a table along long joint				
102	lg_length	725	total length of long joint; verified, very long				
103	lg_tenon_bot	42.8	length bottom tenon on long joint [tenon going into boot joint]				
104	lj_bot_bore	25	Anon13 OOR 24.4 x 25.5; long joint bottom tenon bore diameter [tenon going				
	lj_top_bore	39	Anon13 OOR 38 x 40, vrfd very large, since very long LJ; long joint top tenon b	ore diameter [tenor	going	into b	ell]
	lg_tenon_top	37	length top tenon on long joint [tenon going into bell]				
	e1 distance	53	dist long joint tenon to e1 [from bot of tenon to where tone hole enters bore]				
	d1 distance	251	dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]				
	c1 distance	563	dist long joint tenon to c1 [from bot of tenon to where tone hole enters bore]				
110							
111							
112 113							
114							_
115	VII. Bore diameters at Tone Holes						
116		11.5					-
117	e e	12.2					
118	d	12.5					
119							\neg
120	с	16.2					
121	b	16.7					
122	a	17.2					
123	g	20.4					
124	f1	23.5					
125							
126	e1	26.1	e1 tone hole bore diameter on long joint				
127		30.3	d1 tone hole bore diameter on long joint				
128 129	C1	37	Anon13 vrfd large, long LJ; c1 tone hole bore diameter on long joint				
130							
131						\dashv	-
132							-
133							-
134	VIII. Bell		Anon13 no Bell tone hole				\neg
	bell logic	1	If bell_logic = 0 => normal conical bore; if bell_logic = 1 => inverted concial b	ore			
136	bell_length (0, 1, 2)	216	Anon 13, vrfd very short; total length of bell [lines 141 + 144 = line 136]				
137	bell_bot_bore (0, 1, 2)	41	dia bore at the bottom of bell [end with socket] OOR 40.4 x 41.5				
138	bell_top_bore 0, (1, 0, 2)	36	dia bore at the top of bell [where low Bb exits]				
139	bell_center_bore (only for logic 2)		dia bore at max center of expansion				
140	bell_wall (only for logic 2)		bell wall thickness, Just for David				
	bell_bot_bore_expansion (only for logic 2)		dist of bottom to maxium of expansion [including bell socket length,if bell logics	=0 =>100]		Ţ	
	Outside diameter of wood at expansion		Just for David				
	bell_tenon (0, 1, 0, 2)	37	bell socket length				
	bell_expansion_length (only for logic 2)		distance of maxium expansion to top of bell [where Bb exits]				
	Bellflg	77				-+	
146 147						-+	
	IX. PITCH					-	-
	pitch	430	input the historical pitch of the bassoon, must input value, best guess				
	freq_init	380	Initial frequency range variable				-
	Delta frequency	2	frequency increment parameter				-
	Number of frequencies	60	number of frequencies to scan for min chi sq				\neg
	Frequency adjust	1.05	frequency adjustment parameter				
	X. Title						
	title		Bassoon Calculation: Anon13-O-Joppig-Wg1-WOB-DNM				
156						J	
157			Notes on long joint bore: Anon13 normal				
158	VI Barra Diamenta di di		Notes on boot joint bore: Anon13 normal				
	XI. Bore Diameter Locations	20	Notes on wing joint bore: Anon13 normal				
160 161		20 8.5	Number of diameters Initial bore diameter				
162		360	dist1; measured from the bottom of the wing joint- 10mm			\dashv	1
163		295	dist2; measured from the bottom of the wing joint- 10mm				1
164		208	dist3; measured from the bottom of the wing joint- 12mm				1
165		118	dist4; measured from the bottom of the wing joint- 13mm				1
166		0	dist5; measured from the bottom of the wing joint- 14mm				1
167		0	dist6; measured from the bottom of the wing joint- 15mm	Bottom wing jt	14.2		1
168		85	dist7; measured from the top of the bootjoint - small bore side- 16mm	top boot small	16.1		2
169		183	dist8; measured from the top of the bootjoint - small bore side- 17mm	top boot large	25.2		2
170		300	dist9; measured from the top of the bootjoint - small bore side- 18mm;				2
171		0	dist10; measured from the top of the bootjoint - small bore side- 19mm	sbore dia sep	18.5		3
172		380	dist11; measured from the top of the bootjoint - large bore side- 20mm	Ibore dia sep	19		3
173		320	dist12; measured from the top of the bootjoint - large bore side- 21mm; yes ve	Hook Length	404		3
174		210	dist13; measured from the top of the bootjoint - large bore side- 22mm			-+	3
175		155	dist14; measured from the top of the bootjoint - large bore side- 23mm	li hat harr	25		3
176 177		110 687	dist15; measured from the top of the long joint - 24mm Anon13 vrfd very long meas., very long LJ; dist16; measured from the top of the long joint - 24mm	lj_bot_bore	25	\dashv	4
178		628	dist17; measured from the top of the long joint- 26mm	ie iong joint- ZoMM			4
178		620	dist18; measured from the top of the long joint- 25mm			-+	4
180		560	dist19; measured from the top of the long joint- 27mm;			-	4
	rod 33mm at 340mm	530	dist20; measured from the top of the long joint- 29mm;				4
	rod 34mm at 292mm	485	dist21; measured from the top of the long joint- 30mm;				4
	rod 35mm at 255mm	435	dist22; measured from the top of the long joint- 31mm				4
	rod 36mm at 200mm	380	dist23; measured from the top of the long joint- 32mm;	li top bore	39		4