

	A	B	C	D	E	F	G
1	I. Bocal		Original bocal: Tourlinckx3 No bocal				
2	dia reed end		inside diameter of reed end of bocal				
3	bocal string length (0, 1)		length of bocal inserted into receiver				
4	metal bocal length top (0, 1)		meas. along top of bocal				
5	metal bocal length bot (0, 1)		meas. along bottom of bocal				
6	dia wj end		inside diameter of bocal				
7							
8	bocal logic	2	if bocal logic = 0 => bocal is choke; if bocal logic = 1 =>choke in wing joint calc; if bocal logic = 2 => no bocal				
9							
10							
11							
12							
13	II. Wing Joint Lengths		bocal receiver: Tourlinckx3 no				
14	choke bore dia.	8.7	logic 1; bore diameter of choke; logic 0; either diameter bocal bottom or beginning of bore at bottom or receiver				
15	receiver length (1, 0) (formally choke length)	80	Tuerlinckx3 vrfd, long; logic 1; length of choke from top of wing joint; logic 0; length of receiver (same as string length)				
16	wing joint length	535	Tuerlinckx3 vrfd, long; total wing joint length, including tenon and socket				
17	tenon length	46.1	tenon length				
18							
19	wj f2	233	Tuerlinckx3 vrfd; dist top of wing to where tone hole enters bore [not at the center of the tone hole]				
20	wj e	301	Tuerlinckx3 e tone hole not drilled totally in the center of bore				
21	wj d	343					
22							
23	Bore dia. Bottom of wing joint	15.8	Need to Average; Tourlinckx3 slight oval 15.5 x 16.1				
24	Bore dia. top of boot joint small side	15.8					
25	Bore dia. top of boot joint large side	24.7	Tuerlinckx3 vrfd, large				
26							
27	III. Boot Lengths						
28	bj logic	1	logic=> if bj logic = 0 => plug removed; if bj logic = 1 => plug cannot be removed				
29	bj c	78	dist from top of boot to where topmost tone hole enter bore [not at center of tone hole]				
30	bj b	141					
31	bj a	184	Tuerlinckx3 vrfd, Boot finger holes short				
32							
33	bjstotal [Needed for both boot logics]	420	Tuerlinckx3 vrfd, small; total length of boot, include socket, along the small bore side				
34	bjltotal [Needed for both boot logics]	420	total length of boot, include socket, along large bore side				
35	plug small [Need for logic 0 only]	0	plug thickness, large bore side				
36	plug large [Need for logic 0 only]	0	plug thickness, small bore side				
37							
38	boots [Needed for both boot logics]	378	Tourlinckx3 vrfd, small; hook length along s bore => bjs-septum length = boot - septum <= calc the septum				
39	bootl [Needed for both boot logics]	378	hook length along l bore => bjl-septum length = boot - septum <= calc the septum				
40							
41	boots bottom [Needed for both boot logics]	20	use hook, dist of bore [dist on stick plus 7mm, diff between hook and bot of stick] 13 + 7= 20				
42	bootl bottom [Needed for both boot logics]	20	use hook, dist of bore [same as boots bot except tenon depth will be different]				
43							
44	extreme bore [Needed for logic 1 only]	40.7	Outside dia of plug [measured] = small bore dia + large bore dia + the septum width				
45							
46	septum length exp [Need for logic 0 only]	0	dist. from very bottom of boot to septum [point between the large and small bore]				
47	septum length calc - do not imput value	42	dist. From very bottom of boot to spetum [bjl - bootl]	do not imput value			
48	septum length - do not imput value	42	if bj logic = 0 => septum = septum exp; if bj logic = 1 => septum = septum calc	do not imput value			
49							
50	sbore dia sep* [Needed for both boot logics]	18.3	septum small bore dia [assume = lbore dia sep]				
51	lbore dia sep* [Needed for both boot logics]	19	Tourlinckx1 vrfd smaller than small boot side; septum large bore dia [assume = sbore dia sep]				
52	sep width exp [Need for logic 0 only]	0	septum width; direct measurement if remove plug				
53	sep width calc - do not imput value	3.4	septum width; calc. => extreme bore - sbore - lbore	do not imput value			
54	sep width - do not imput value	3.4	if bj logic = 0 => sep width = sep width exp; if bj logic = 1 => sep width = sep width calc	do not imput value			
55							
56	bj g	331	Tuerlinckx3 vrfd short; dist from top of boot (socket) to where G hole enters bore [not at cent of tone hole]				
57	bj f1	117	Tuerlinckx3 vrfd, short; dist from top of boot (socket) to where F1 hole enters bore [not at cent of tone hole]				
58							
59							
60							
61							
62							
63	IV. Tone Hole Diameters						
64	f2	4.5					
65	e	4.4	Tuerlinckx3 vrfd small finger holes; e tone hole not drilled totally in the center of bore				
66	d	5.1					
67							
68	c	6.4					
69	b	6.7					
70	a	5.8	Tuerlinckx3 vrfd small				
71	g	8.6					
72	f1	9.9	Tourlinckx3 tone hole is a different angle				
73							
74	e1	9.8	e1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]				
75	d1	9	d1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]				
76	c1	11.5	Tuerlinckx3 vrfd, small; c1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]				
77							
78							
79							
80							
81							
82	V. Tone Hole Depths						
83	f2	30.1					
84	e	28.5	Tourlinckx3 e tone hole not drilled totally in the center of bore				
85	d	31.5					
86							
87	c	25.5					
88	b	25					
89	a	25					
90	g	15	meas along bot tone hole wall [north wall, toward reed, tone hole usually at angle]				
91	f1	19	meas along east side tone hole wall [north wall, toward reed, t hole usually at angle]				
92							
93	e1	7.9	e1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				
94	d1	7.3	d1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				
95	c1	8	c1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]				
96							
97							
98							
99							
100							
101	VI. Long Joint		Tourlinckx3 a table along long joint				
102	lq. length	616	Tuerlinckx3 vrfd, long; total length of long joint				

	A	B	C	D	E	F	G
103	lg_tenon_bot	49.9	length bottom tenon on long joint [tenon going into boot joint]				
104	lj_bot_bore	24.9	long joint bottom tenon bore diameter [tenon going into boot joint]				
105	lj_top_bore	31.8	long joint top tenon bore diameter [tenon going into bell]				
106	lg_tenon_top	49.5	length top tenon on long joint [tenon going into bell] verified				
107	e1_distance	58	dist long joint tenon to e1 [from bot of tenon to where tone hole enters bore]				
108	d1_distance	265	dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]				
109	c1_distance	521	Tuerlinckx3 vrfd, long; but LJ is long; dist long joint tenon to c1 [from bot of tenon to where tone hole enters bore]				
110							
111							
112							
113							
114							
115	VII. Bore diameters at Tone Holes						
116	f2	11.6					
117	e	12.2					
118	d	12.8					
119							
120	c	15.4					
121	b	16.1					
122	a	16.6					
123	g	19.2					
124	f1	23.1	Tourlinckx3 vrfd 13 Feb 2024				
125							
126	e1	24.8	e1 tone hole bore diameter on long joint				
127	d1	28.9	d1 tone hole bore diameter on long joint				
128	c1	30.2	c1 tone hole bore diameter on long joint				
129							
130							
131							
132							
133							
134	VIII. Bell						
135	bell logic	1	If bell logic = 0 => normal conical bore; if bell logic = 1 => inverted conical bore; if bell logic = 2 => bell expansion				
136	bell_length (0, 1, 2)	352	total length of bell [lines 141 + 144 = line 136]				
137	bell_bot_bore (0, 1, 2)	32	dia bore at the bottom of bell [end with socket]				
138	bell_top_bore 0, (1, 0, 2)	33.7	dia bore at the top of bell [where low Bb exits]				
139	bell_center_bore (only for logic 2)		dia bore at max center of expansion				
140	bell_wall (only for logic 2)		bell wall thickness, Just for David				
141	bell_bot_bore_expansion (only for logic 2)		dist of bottom to maxium of expansion [including bell socket length, if bell logic=0 =>100]				
142	Outside diameter of wood at expansion		Just for David				
143	bell_tenon (0, 1, 0, 2)	40.7	bell socket length				
144	bell_expansion_length (only for logic 2)		distance of maxium expansion to top of bell [where Bb exits]				
145	bellfg	38.8	Usually about 10mm more than line 138				
146							
147							
148	IX. PITCH						
149	pitch	430	input the historical pitch of the bassoon, must input value, best guess				
150	freq_init	380	Initial frequency range variable				
151	Delta frequency	2	frequency increment parameter				
152	Number of frequencies	60	number of frequencies to scan for min chi sq				
153	Frequency adjust	1.05	frequency adjustment parameter				
154	X. Title						
155	title		Bassoon Calculation: Tuerlinckx3-O-BrusMIM0182-Wg1-WOB-DNM				
156							
157			Notes on long joint: Tuerlinckx3, good shape				
158			Notes on boot joint bore: Tuerlinckx3, good shape				
159	XI. Bore Diameter Locations						
160		21	Number of diameters				
161	Bell Bore	8.7	Initial bore diameter [do not include in line 160 counting]				
162	32.0mm diameter at socket	350	dist1; measured from the bottom of the wing joint- 10mm				1
163	33.4mm rod 115mm from bell	323	dist2; measured from the bottom of the wing joint- 11mm				1
164	33.9mm diameter at bell end	292	dist3; measured from the bottom of the wing joint- 12mm				1
165		155	dist4; measured from the bottom of the wing joint- 13mm				1
166		75	dist5; measured from the bottom of the wing joint- 14mm;				1
167		22	dist6; measured from the top of the bootjoint - small bore side- 15mm	Bottom wing jt	15.8		1
168		135	dist7; measured from the top of the bootjoint - small bore side- 16mm	top boot small	15.8		2
169		210	dist8; measured from the top of the bootjoint - small bore side- 17mm	top boot large	24.7		2
170		315	dist9; measured from the top of the bootjoint - small bore side- 18mm				2
171		0	dist10; measured from the top of the bootjoint - large bore side- 19mm	sbore dia sep	18.3		3
172		305	dist11; measured from the top of the bootjoint - large bore side- 20mm	lbore dia sep	19		3
173		233	dist12; measured from the top of the bootjoint - large bore side- 21mm	Hook Length	378		3
174		180	dist13; measured from the top of the bootjoint - large bore side- 22mm				3
175		125	dist14; measured from the top of the bootjoint - large bore side- 23mm				3
176		95	dist15; measured from the top of the long joint- 24mm	lj_bot_bore	24.9		3
177		533	dist16; measured from the top of the long joint- 25mm				4
178		470	dist17; measured from the top of the long joint- 26mm				4
179		433	dist18; measured from the top of the long joint- 27mm				4
180		370	dist19; measured from the top of the long joint- 28mm				4
181		335	dist20; measured from the top of the long joint- 29mm				4
182		110	Tuerlinckx3 vrfd OOR; dist21; measured from the top of the long joint- 30mm				4
183		38	dist22; measured from the top of the long joint- 31mm verified				4
184		0	dist23; measured from the top of the long joint- 32mm	lj_top_bore	31.8		4