H	A A	В	C Control based Address of Control PA 2	D E	F	G
2	I. Bocal dia reed end		Original bocal, AdlerGF2, no, Cronin BA 3 inside diameter of reed end of bocal		+	
3	bocal string length (0, 1)		length of bocal inserted into receiver		土	
	metal bocal length top (0, 1)		meas. along top of bocal			
	metal bocal length bot (0, 1) dia wj end		meas. along bottom of bocal inside diameter of bocal	 	+	\vdash
7	dia wj elid		inside diameter of bocar		+-	
8	bocal logic	2	if bocal logic = 0 => bocal is choke; if bocal logic = 1 =>choke in wing joint calc; if bocal logic = 2 => no	bocal	\perp	
9					+	
10 11					+	
12						
	II. Wing Joint Lengths		bocal receiver: yes receiver AdlerGF2			
14 15	choke bore dia. receiver length (1, 0) (formally choke length)	9.8 40	logic 1; bore diameter of choke; logic 0; either diameter bocal bottom or beginning of bore at bottom or rec logic 1; length of choke from top of wing joint; logic 0; length of receiver (same as string length)	eiver	+	
	wing joint length	497	total wing joint length, including tenon and socket		+	
17	tenon length	50.5	tenon length			
18	uri f2	105	diet tan of wing to whore tang halo enters have [not at the contex of the tang halo]		+	
20	wj f2 wj e	195 282	dist top of wing to where tone hole enters bore [not at the center of the tone hole]		+-	
	wj d	325				
22		45.0			┷	
23	Bore dia. Bottom of wing joint Bore dia. top of boot joint small side	15.2 15.4	Need to Average, usally oval; Adler, no bore in great shape		+	
25	Bore dia. top of boot joint large side	25.4				
26					\Box	
	III. Boot Lengths bj logic	1	logic=> if bj logic = 0 => plug removed; if bj logic = 1 => plug cannot be removed	 	+-	\vdash
	bj c	80	dist from top of boot to where topmost tone hole enter bore [not at center of tone hole]		+	
30	bj b	144			\perp	
31 32	bj a	195		 	+-	\vdash
33	bjstotal [Needed for both boot logics]	433	total length of boot, include socket, along the small bore side		+	
34	bjltotal [Needed for both boot logics]	433	total length of boot, include socket, along large bore side		\perp	
	plug small [Need for logic 0 only]		plug thickness, large bore side	 	₩	
36 37	plug large [Need for logic 0 only]		plug thickness, small bore side	 	+	
38	boots [Needed for both boot logics]	381	hook length along s bore => bjs-septum length = boot - septum <= calc the septum			
39	bootl [Needed for both boot logics]	381	hook length along I bore => bjl-septum length = boot - septum <= calc the septum		+	
40 41	boots bottom [Needed for both boot logics]	35	use hook, dist of bore [dist on stick plus 7mm, diff between hook and bot of stick] 28 + 7	 	+	\vdash
	bootl bottom [Needed for both boot logics]	35	use hook, dist of bore [same as boots bot except tenon depth will be different]		+	
43						
44	extreme bore [Needed for logic 1 only]	40.5	Outside dia of plug [measured] = small bore dia + large bore dia + the septum width		+	
46	septum length exp [Need for logic 0 only]	52	dist. from very bottom of boot to septum [point between the large and small bore]		+	
47	septum length calc - do not imput value	52	dist. From very bottom of boot to spetum [bjl - bootl]	do not imput value		
48	septum length - do not imput value	52	if bj logic = 0 => septum = septum exp; if bj logic = 1 => septum = septum calc	do not imput value	_	
49 50	sbore dia sep* [Needed for both boot logics]	19	septum small bore dia [assume = Ibore dia sep]		+-	
51	Ibore dia sep* [Needed for both boot logics]	19.6	septum large bore dia [assume = sbore dia sep] [mesure if cork can be removed; for Logic 0]			
52	sep width exp [Need for logic 0 only]	4.0	septum width; direct measurement if remove plug		_	
53 54	sep width calc - do not imput value sep width - do not imput value	1.9	septum width; calc. => extreme bore - sbore - lbore if bj logic = 0 => sep width = sep width exp; if bj logic = 1 => sep width = sep width calc	do not imput value do not imput value	+	
55			The state of the s			
56	bj g	342	dist from top of boot (socket) to where G hole enters bore [not at cent of tone hole]			
57 58	bj f1	137	dist from top of boot (socket) to where F1 hole enters bore [not at cent of tone hole]		+	
59					+	
60						
61 62					+	
63	IV. Tone Hole Diameters				+	
64	f2	6.2			\perp	
65 66	e	7.1 5.7			+	
67	-	3.7			+	
68	С	7.5			1	
69 70	b a	7.1 6.4		 	+	
71	g	9.4			1	
72	f1	9			\blacksquare	
73 74	e1	13	Cannot remove key guard, meas. w/ compas; e1 tone hole dia, on long joint		+	H
	d1	11.8	d1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]		\pm	
76	c1	13.5	c1 tone hole dia, on long joint [need to average NS and EW dias, NS usually greater]		I	
77 78					+	\vdash
79					_	
80					\perp	
81 82	V. Tone Hole Depths			 	+	
83	f2	49.6	AdlerGF2 vrfd, very thick épaule and extreme angle		+-	
84	e	42			\blacksquare	
85 86	d	43		 	+-	\vdash
86	c	33.5	AdlerGF2 extreme angle		+	
88	b	28			\blacksquare	
89	a	37.5	mans along but tone hole wall [north wall, toward reed tone hole usually at angle]	 	+	\vdash
90 91	f1	16.6 28	meas along bot tone hole wall [north wall, toward reed,tone hole usually at angle] meas along east side tone hole wall [north wall, toward reed,t hole usually at angle]	+	+	\vdash
92					\perp	
93	e1	9	AdlerGF2 estimate; e1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]			
94 95	u1 c1	9.1	d1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist] c1 tone hole depth; meas east/west with deapth gauge [at center, or shortest dist]	 	+	
96			,,		ᆂ	
97					#	
98 99					+	
100						
101	VI. Long Joint		Adler2 there is a table along long joint		\perp	
	lg_length lg_tenon_bot	595 50	total length of long joint length bottom tenon on long joint [tenon going into boot joint]	 	+	-
	lj bot bore	25.3	long joint bottom tenon bore diameter [tenon going into boot joint]		\pm	

A	В	C	D	F	F	G
105 lj_top_bore	34.4	long joint top tenon bore diameter [tenon going into bell]			H	G
106 lg_tenon_top	40.2	length top tenon on long joint [tenon going into bell]				
107 e1 distance	57	dist long joint tenon to e1 [from bot of tenon to where tone hole enters bore]	1			
108 d1 distance	261	dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]	i			
109 c1 distance	485	dist long joint tenon to c1 [from bot of tenon to where tone hole enters bore]				
110						
111						
112						
113						
114						
115 VII. Bore diameters at Tone Holes						
116 f2	11.5					
117 e	12.7					
118 d	12.8					
119	15.4					
120 c 121 b	16.1					
122 a	16.3					
123 g	19.6					
124 f1	24					
125	27					
126 e1	25.6	e1 tone hole bore diameter on long joint				
127 d1	27.8	d1 tone hole bore diameter on long joint	i			
128 c1		c1 tone hole bore diameter on long joint				
129						
130						
131						
132		Adler2 flaring bell was added, at point of new bell the dia. Is 27.5mm. This is 47mm from very top of bell				
133		A reversed tapered bell on AdlerGF2				
134 VIII. Bell		AdlerFG2 no tone hole in the bell	L			
135 bell logic	1	If bell_logic = 0 => normal conical bore; if bell_logic = 1 => inverted concial bore; if bell_logic = 2 => be	II expansion			
136 bell_length (0, 1, 2)	334	AdlerGF2 verified a bit long; total length of bell [lines 141 + 144 = line 136]				
137 bell_bot_bore (0, 1, 2)	33.8	dia bore at the bottom of bell [end with socket]				
138 bell_top_bore 0, (1, 0, 2)	31.4	AdlerGF2 verified, flares out at top; dia bore at the top of bell [where low Bb exits]				
139 bell_center_bore (only for logic 2)		dia bore at max center of expansion				
140 bell_wall (only for logic 2) 141 bell bot bore expansion (only for logic 2)		bell wall thickness, Just for David				
141 bell_bot_bore_expansion (only for logic 2) 142 Outside diameter of wood at expansion		dist of bottom to maxium of expansion [including bell socket length,if bell logic=0 =>100] Just for David	 			
143 bell_tenon (0, 1, 0, 2)	40.4	bell socket length				
143 bell_terion (0, 1, 0, 2) 144 bell_expansion_length (only for logic 2)	40.4	distance of maxium expansion to top of bell [where Bb exits]				
145 belfig	37	Usually about 10mm more than line 138				
146		,	1			
147			İ			
148 IX. PITCH						
149 pitch	435	AdlerGF2, C. Koster says it plays between 430 and 435. input the historical pitch of the bassoon				
150 freq_init	380	Initial frequency range variable				
151 Delta frequency	2	frequency increment parameter				
152 Number of frequencies	60	number of frequencies to scan for min chi sq				
153 Frequency adjust	1.05	frequency adjustment parameter				
154 X. Title						
155 title		Bassoon Calculation: AdlerFG2-O-Koster-Wg1-WB-DNM				
156		N	-			
157		Notes on long joint bore: AdlerFG2 very good				
158		Notes on boot joint bore: AdlerFG2 very good				
159 XI. Bore Diameter Locations 160	22	Notes on wing joint bore: AdlerGF2 good, very steep cone, meas. correct Number of diameters				
161	9.8	Initial bore diameters [do not include in line 160 counting]	 			
162	430	dist1; measured from the bottom of the wing joint- 10mm				1
163	400	dist2; measured from the bottom of the wing joint- 11mm	1			1
164	272	AdlerGF2 verified; dist3; measured from the bottom of the wing joint- 12mm				1
165 AdlerFG2 bore correct, very steep curve	128	AdlerGF2 verified; dist4; measured from the bottom of the wing joint- 13mm				1
166	20	AdlerGF2 verified; dist5; measured from the bottom of the wing joint- 14mm				1
167	0	dist6; measured from the bottom of the wing joint- 15mm	Bottom wing jt	15.2		1
168	130	dist7; measured from the bottom of the wing joint - 16mm	top boot small	15.4		2
169	225	dist8; measured from the top of the bootjoint - small bore side- 17mm	top boot large	25.4		2
170	325	dist9; measured from the top of the bootjoint - small bore side- 18mm				2
171	380	dist10; measured from the top of the bootjoint -small bore side- 19mm	sbore dia sep	19		2
172	325	dist11; measured from the top of the bootjoint - large bore side- 20mm	Ibore dia sep	19.6		3
173	265	dist12; measured from the top of the bootjoint - large bore side- 21mm	Hook Length	381		3
174	235	dist13; measured from the top of the bootjoint - large bore side- 22				3
175	190	dist14; measured from the top of the bootjoint - large bore side- 23		25.2	\vdash	3
176	145	dist15; measured from the top of the bootjoint - large bore side- 24mm	lj_bot_bore	25.3		3
177 178	77	dist16; measured from the top of the long joint- 25mm; OOR	 			3
178 179	495	dist17; measured from the top of the long joint- 26mm; OOR	-		\vdash	4
	408	dist18; measured from the top of the long joint- 27mm; OOR				4
180 181	315 275	dist19; measured from the top of the long joint- 28mm	—			4
182	175	dist20; measured from the top of the long joint- 29mm dist21; measured from the top of the long joint- 30mm	 			4
183	145	dist22; measured from the top of the long joint- 31mm	 			4
184	70	dist23; measured from the top of the long joint- 32mm	li ton bore	34.4		4
20.0	, 0	paraces, measures from the top of the form paint. Sentill	וון נטף טטוכ	J7.4	_	. 4