## GrenserA4-O-Leipzig1378-Wg1-WOB-DNM

	А	В	С	D	Е	F	G	Н
1	I. Bocal		Original bocal; GrenserA4 no					
2	dia reed end		inside diameter of reed end of bocal					
3	bocal string length (0, 1)		length of bocal inserted into receiver					
4	metal bocal length top (0, 1)		meas. along top of bocal					
5	metal bocal length bot (0, 1)		meas. along bottom of bocal					
6	dia wj end		inside diameter of bocal					
7			<u></u>		Ļ			
8	bocal logic	2	if bocal logic = 0 => bocal is choke; if bocal logic = 1 =>choke in wing joint ca	lc; if bocal log	gic = 2	=> n	o bocal	
9								
10								
11								
12								
13	II. Wing Joint Lengths		GrenserA4 bocal receiver: yes there is a receiver; formed by repair of top of wi					
14	choke bore dia.	8.2	logic 1; bore diameter of choke; logic 0; either diameter bocal bottom or begin			m or	receiver	
15	receiver length (1, 0) (formally choke length)	63	logic 1; length of choke from top of wing joint; logic 0; length of receiver (same	e as string ler	ngth)			
16	wing joint length	528	total wing joint length, including tenon and socket					
17	tenon length	40	tenon length					
18		226	dist been selection to the selection belong to the selection belong to the selection belong to	-1-1				
19	wj f2	236 296	dist top of wing to where tone hole enters bore [not at the center of the tone h	oiej I				
20 21	wj e							
22	wj d	346						
23	Bore dia. Bottom of wing joint	14.5	Need to Average, usally oval; GrenserA4 yes					
24		15.5	Need to Average, usally oval, GrenserA4 yes					
25	Bore dia. top of boot joint small side Bore dia. top of boot joint large side	24.9						
26	bore dia. top or boot joint large side	24.3						
27	III. Boot Lengths		GrenserA4 Two whole design; cork on small side of boot has fallen out.					
28	bj logic	1	logic=> if bj logic = 0 => plug removed; if bj logic = 1 => plug cannot be rem	oved				
29	bj c	84	dist from top of boot to where topmost tone hole enter bore [not at center of to					
	bj b	140	and the state of t					
	bj a	191						
32	-							
33	bjstotal [Needed for both boot logics]	430	total length of boot, include socket, along the small bore side					
34	bjltotal [Needed for both boot logics]	430	total length of boot, include socket, along large bore side	İ				
35	plug small [Need for logic 0 only]	0	plug thickness, large bore side					
36	plug large [Need for logic 0 only]	0	plug thickness, small bore side					
37								
38	boots [Needed for both boot logics]	387	hook length along s bore => bjs-septum length = boot - septum <= calc the se					
39	bootl [Needed for both boot logics]	387	hook length along I bore => bjl-septum length = boot - septum <= calc the se	ptum				
40								
41	boots bottom [Needed for both boot logics]	22	use hook, dist of bore [dist on stick plus 7mm, diff between hook and bot of sti	ck]				
42	bootl bottom [Needed for both boot logics]	22	use hook, dist of bore [same as boots bot except tenon depth will be different]					
43								
44	extreme bore [Needed for logic 1 only]	41.6	Outside dia of plug [measured] = small bore dia + large bore dia + the septur	n width				
45								
46	septum length exp [Need for logic 0 only]	44	GrenserA4 could meas. Exactly because cork is missing; dist. from very bottom					
47	septum length calc - do not imput value	43	dist. From very bottom of boot to spetum [bjl - bootl]	do not imput				
48	septum length - do not imput value	43	if bj logic = 0 => septum = septum exp; if bj logic = 1 => septum = septum c	do not imput	value			
49 50	sbore dia sep* [Needed for both boot logics]	18.4	   septum small bore dia [assume = lbore dia sep]					
51	lbore dia sep* [Needed for both boot logics]	18.8	septum large bore dia [assume = sbore dia sep] [mesure if cork can be remove	d: for Logic (	11			
52	sep width exp [Need for logic 0 only]	0	septum width; direct measurement if remove plug	I	) 			
53	sep width calc - do not imput value	4.4	septum width; calc. => extreme bore - sbore - lbore	do not imput	value			
54	sep width - do not imput value	4.4	if bj logic = 0 => sep width = sep width exp; if bj logic = 1 => sep width = se					
55			and the state of t					
	bj g	329	dist from top of boot (socket) to where G hole enters bore [not at cent of tone	hole1				
	bj f1	119	dist from top of boot (socket) to where F1 hole enters bore [not at cent of tone					
58								
59								
60								
61								
62						1		
63	IV. Tone Hole Diameters		0 44 (1) 11 22 22 22			-		
64	f2	4.7	GrenserA4 vrfd tone holes are small here than on Grenser 1377			1		
65 66	e d	5.5				-		
67	u	5				<b>-</b>		
68	C	6.8				1		
69	h	6.8				1		
70	a	5.6						
71	_ g	8.4						
72	f1	7.8						
73								
74	e1	10	e1 tone hole dia, on long joint [need to average NS and EW dias, NS usually gr	eaterl				
75	d1	9.3	d1 tone hole dia, on long joint [need to average NS and EW dias, NS usually gr					
76	c1	11.9	c1 tone hole dia, on long joint [need to average NS and EW dias, NS usually gr					
77								
78								
79								
80								
81								
82	V. Tone Hole Depths			ــــــــــــــــــــــــــــــــــــــ	<u> </u>			
83	f2	23.8	GrenserA4 these tone holes are longer than Grenser 1377, wing with tone holes	s is larger in o	dia.			
84	e	22.6		ļ				
85	d	30				ļ		
86						ļ		
87	c	23				-		
88	D	23.3		-	-	1		
89	d	26	mana alang hat tang hala wall (north well toward and toward hala	l del	-	-		
90 91	y f1	15.4	meas along bot tone hole wall [north wall, toward reed, tone hole usually at any		-	1		
91	11	15.6	meas along east side tone hole wall [north wall, toward reed,t hole usually at a	ngiej		1		
93	e1	8.7	e1 tone hole depth;meas east/west with deapth gauge [at center, or shortest of	l lict1	<b>—</b>			
93	d1	7.8	d1 tone hole depth; meas east/west with deapth gauge [at center, or shortest of the center of the ce			1		
95	c1	7.5	c1 tone hole depth; meas east/west with deapth gauge [at center, or shortest			<b>†</b>		
		1.5	101 cond note depth, meas easy west with deapth gauge fat tenter, of Shortest	4.00		1		

## GrenserA4-O-Leipzig1378-Wg1-WOB-DNM

	A	В	С	D	Е	F	G	Н
96	^	В	C			-	U	- ''
97								
98								
99								
100	VI. Long Joint		There is a table along long joint; GrenserA4 a table along long joint					
	la lenath	609	total length of long joint; yes 600 mm					
	lg_tenon_bot	42	length bottom tenon on long joint [tenon going into boot joint]					
	lj_bot_bore	24.6	long joint bottom tenon bore diameter [tenon going into boot joint]					
	lj_top_bore	32.5	long joint top tenon bore diameter [tenon going into bell]					
	lg_tenon_top	33.3	length top tenon on long joint [tenon going into bell]					
	e1 distance d1 distance	52 267	dist long joint tenon to e1 [from bot of tenon to where tone hole enters bore] dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]					
	c1 distance	514	dist long joint tenon to d1 [from bot of tenon to where tone hole enters bore]					
110			, , , , , , , , , , , , , , , , , , , ,					
111								
112								
113								
114	VII. Bore diameters at Tone Holes							
116		11.8						
117		12.8						
118		13.3						
119								
120	c	15.8						
121	D	16.6 17.1				-		
122 123	a n	20						
124	f1	24.1						
125								
126		25	e1 tone hole bore diameter on long joint					
127		28.8	d1 tone hole bore diameter on long joint					
128 129	c1	31.4	c1 tone hole bore diameter on long joint					
130								
131								
132								
133								
	VIII. Bell		GrenserA4 There is not a tone hole in the bell		L	L		
	bell logic bell length (0, 1, 2)	1 304	If bell_logic = 0 => normal conical bore; if bell_logic = 1 => inverted concial b total length of bell [lines 141 + 144 = line 136]	ore; if bell_lo	gic = 2	_=> t	ен ехра	nsion
	bell_bot_bore (0, 1, 2)	32.2	dia bore at the bottom of bell [end with socket]					
	bell_top_bore 0, (1, 0, 2)	29	dia bore at the bottom of bell [where low Bb exits]					
	bell_center_bore (only for logic 2)		dia bore at max center of expansion					
140	bell_wall (only for logic 2)		bell wall thickness, Just for David					
	bell_bot_bore_expansion (only for logic 2)		dist of bottom to maxium of expansion [including bell socket length,if bell logic	=0 =>100]				
142	Outside diameter of wood at expansion	24.1	Just for David					
	bell_tenon (0, 1, 0, 2) bell_expansion_length (only for logic 2)	34.1	bell socket length distance of maxium expansion to top of bell [where Bb exits]					
145			and the second s					
146								
147								
	IX. PITCH	A1E	input the historical nitch of the hasseen would input up to heat access					
	pitch freg init	415 380	input the historical pitch of the bassoon, must input value, best guess Initial frequency range variable					
	Delta frequency	2	frequency increment parameter					
152	Number of frequencies	60	number of frequencies to scan for min chi sq					
153	Frequency adjust	1.05	frequency adjustment parameter					
	X. Title		dated 1788					
155 156	title		Bassoon Calculation: GrenserA4-O-Leipzig1378-Wg1-WOB-DNM					
156			Notes on long joint bore: GrenserA4 very out of round in places					
158			Notes on boot joint bore: GrenserA4 small side very out of round and cyn.					
	XI. Bore Diameter Locations		Notes on wing joint bore: GrenserA4 normal					
160	Dell Desire	20	Number of diameters					
	Bell Bore	8.2	Initial bore diameter [do not include in line 160 counting]	ton of hora	nakaa -	cha'	-	
162 163	32.2mm dia. at socket 31mm rod 110mm from socket	0	dist1; measured from the bottom of the wing joint- 10mm there is an insert in dist2; measured from the bottom of the wing joint- 11mm	ισρ στ pore, r	nakes a	cnol	1	
164	30mm rod 205mm from socket	275	dist3; measured from the bottom of the wing joint- 11mm				1	
165	29mm rod 280mm from socket	210	dist4; measured from the bottom of the wing joint- 13mm				1	
166	29mm dia. at bell end	6	dist5; measured from the bottom of the wing joint- 14mm				1	
167		0	dist6; measured from the bottom of the wing joint- 15mm	Bottom wing	14.5		1	
168		110	dist7; measured from the top of the bootjoint - small bore side- 16mm dist8; measured from the top of the bootjoint - small bore side- 17mm	top boot sma	15.5	-	2	
169 170		180 310	dist8; measured from the top of the bootjoint - small bore side- 1/mm dist9; measured from the top of the bootjoint - small bore side- 18mm	top boot larg	24.9		2	
171		372	dist10; measured from the top of the bootjoint - large bore side- 19mm	sbore dia ser	18.4		3	
172		330	dist11; measured from the top of the bootjoint - large bore side- 20mm	lbore dia sep	18.8		3	
173		262	dist12; measured from the top of the bootjoint - large bore side- 21mm	Hook Length	387		3	
174		230	dist13; measured from the top of the bootjoint - large bore side- 22mm				3	
175 176		182 125	dist14; measured from the top of the bootjoint - large bore side- 23mm	li hot have	24.0		3	
176 177		540	dist15; measured from the top of the boot joint- large bore side- 24mm dist16; measured from the top of the long joint- 25mm	lj_bot_bore	24.6	<b> </b>	4	
178		495	dist17; measured from the top of the long joint- 25mm				4	
179		432	dist18; measured from the top of the long joint- 27mm				4	
180		393	dist19; measured from the top of the long joint- 28mm				4	
181		320	dist20; measured from the top of the long joint- 29mm				4	
182		220	GrenserA4 OOR 170 x 270, dist21; measured from the top of the long joint- 30	mm		-	4	
183 184		125 16	dist22; measured from the top of the long joint- 31mm dist23; measured from the top of the long joint- 32mm	lj_top_bore	32.5	-	4	
104		10	Taistes, measured from the top of the iong joint- 3211111	rij_top_bore	J2.3		4	